

Septic made simple

A complete, reliable pumped system

The Infiltrator septic tank combines long-term strength with easy installation and dependable performance. Its durable, watertight design makes it ideal for pumped septic systems, keeping wastewater management simple, efficient, and worry-free.



0800 466 635
innoflow.co.nz

innoflow
wastewater specialists

The Infiltrator CM-1060 Tank

Strong. Reliable. Built to Last.

A lightweight septic tank engineered for long-term performance and hassle-free installation.

The Infiltrator CM-1060 is a next-generation septic tank built for durability, watertight performance and easy installation. Made from advanced compression-moulded polypropylene, it delivers a breakthrough in thermoplastic design – stronger and more resilient than concrete, yet lightweight enough to transport and install without heavy machinery.

Reinforced ribbing and fibreglass bulkheads provide lasting strength under tough conditions, while the watertight build prevents leaks and the reinforced access ports ensure reliability during installation and pump-outs. Heavy-duty green lids blend seamlessly into your landscape, and the tank is fully compatible with Infiltrator's custom-fit risers and patented Biotube® effluent filters for extra system protection.

Versatile by design, the CM-1060 can be used as a septic tank or pump tank.

Stronger and more resilient than concrete, yet lightweight enough to install without heavy machinery.

BENEFITS

- **Lightweight & Easy to Install** – No cranes or heavy trucks needed. Easy access to rural or tricky sites.
- **Durable & Resistant** – Won't rust, crack, or corrode like concrete tanks.
- **Eco-Friendly** – Made with 95% recycled materials, built to last for decades.
- **Landscape-Friendly** – Green lids that blend into your surroundings.
- **Odour Control** – Optional carbon filter to minimise smells.
- **System Protection** – Patented Biotube® effluent filters safeguard your wastewater system.
- **5-Year Warranty.**



A Complete Pumped Septic System Strong. Reliable. Easy to Install.

A reliable pumped septic tank system built for lasting performance and hassle-free installation.

The Infiltrator CM-1060 tank, paired with an Innoflow pump system package, provides a reliable pumped septic solution built for lasting performance and easy installation. Its lightweight, compression-moulded polypropylene construction combines the strength of concrete with easy handling, making installation straightforward – even on rural or challenging sites.


The system includes an integrated Orenco Biotube® pump vault with one or two submersible pumps and a Biotube® effluent filter, protecting both the pump and your wastewater system. Smart controls – timer-dosed or demand-dosed – ensure optimal performance. Heavy-duty green lids blend into your landscape, and optional carbon filters help control odours.

Versatile and eco-friendly, the CM-1060 Pumped System keeps your wastewater system running smoothly, reduces maintenance, and safeguards your investment for decades.

BENEFITS

Lightweight & Easy to Install – No heavy trucks or cranes; ideal for rural or tight sites.

- **Durable & Resistant** – Won't rust, crack, or corrode like concrete tanks.
- **Orenco Pump Vault & Biotube® Filter** – Protects pumps and your LPED system for long-term reliability.
- **Smart Control Panel** – Timer-dosed or demand-dosed operation for optimal performance.
- **Landscape-Friendly** – Green lids blend naturally into your surroundings.
- **Low Maintenance** – Keeps your system running smoothly and reduces costly repairs.
- **Optional Carbon Filter** – Minimises odours.
- **5-Year Warranty.**



Tailored Solutions for Your Property

Let our experienced team guide you through the options below to design a high-performing wastewater system to suit your needs.

Polypropylene Lightweight Septic Tanks	✓
6,700L Septic Tank – complete with lids, inlet & outlet tees	<input type="radio"/>
5,000L Septic Tank – complete with lids, inlet & outlet tees	<input type="radio"/>
1,200L Septic Tank – complete with lids, inlet & outlet tees	<input type="radio"/>
610mm (24") Diameter Risers	✓
51mm (2") Riser	<input type="radio"/>
152mm (6") Riser	<input type="radio"/>
305mm (12") Riser	<input type="radio"/>
610mm (24") Diameter Safety Star	✓
Safety Star – fall prevention cover – fits within the riser	<input type="radio"/>
Orenco Biotube® Septic Tank Filters	✓
Full-Size Biotube® Filter. Diameter: 102mm (4"). Length 1,120mm	<input type="radio"/>
Junior-Size Biotube® Filter. Diameter: 102mm (4"). Length 730mm	<input type="radio"/>
Biotube® Pump Vault	✓
Biotube® Pump Vault – complete with high head pump, Biotube®, pump vault, floats, and control panel	<input type="radio"/>

Since 1994, Innoflow has delivered over 10,000 wastewater systems across New Zealand, Australia, and the Pacific, combining practical experience with sustainable solutions you can depend on. We go the extra mile for our clients because we have a passion for excellence. By delivering the best wastewater treatment technology available, we protect our environment for future generations. Every system we design and install is high-performing, efficient, and built to last.

